


Project Name

Product Code 364405092/9527+610905092/S



Product Description

LED wall or ceiling luminaire with a single adjustable spotlight with proprietary joint allowing for 350° horizontal and +90°/-90° vertical adjustment. The body is manufactured from die-cast aluminium alloy 6060 with heat dissipating function. Wall fixings with nylon plugs. Optics available in Spot, Medium and Large. Optics come complete with a decorative ring that is available in seven liquid-coated finish options. The luminaire is available in matt white, matt black and concrete grey. Ingress protection of IP20.

Electrical characteristics

Isolation class	Class I - Earth contact
Class F	YES
Version	1x13W
Control	On-off

Mechanical features

Incandescent wire	850°
Protection class	IP20
Finish	Concrete gray

Lighting characteristics

CRI-CCT	CRI95 2700K
Optic	Spot 21°

Accessories


Primary optical accessories	Decorative ring
Ring finish	Concrete gray
Secondary optical accessories	Spot plus – Accessori ottici secondari

Warranty

Lifetime	L80B10 100.000 ore
Certification	CE Compliance
Warranty	5 years
Operating temperature	-10° / +30°

Configurator code

Housing body	PLURIEL PLUS Wall
Version	1x13W
Control	On-off
Finish	Concrete gray
CRI-CCT	CRI95 2700K
Primary optical accessories	Decorative ring
Ring finish	Concrete gray
Optic	Spot 21°



Accessories

Primary optical accessories



Decorative ring

